



# SAFETY DATA SHEET

## DOW CHEMICAL THAILAND LTD

**Product name:** DOWSIL™ 8500 Conditioning Agent

**Issue Date:** 23.01.2023

**Print Date:** 24.01.2023

DOW CHEMICAL THAILAND LTD encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

---

**Product name:** DOWSIL™ 8500 Conditioning Agent

**Recommended use of the chemical and restrictions on use**

**Identified uses:** Impregnation agents Cosmetics Softeners

**COMPANY IDENTIFICATION**

DOW CHEMICAL THAILAND LTD  
99/1 BJC 2 BUILDING,  
SOI SAENGCHAN-RUBIA,  
SUKHUMVIT 42 ROAD, PRAKANONG, KLONGTOEY,  
BANGKOK 10110  
THAILAND

**Customer Information Number:**

(66)2-3657000  
SDSQuestion@dow.com

**EMERGENCY TELEPHONE NUMBER**

**24-Hour Emergency Contact:** (66)38-925-400

**Local Emergency Contact:** 038-925-400

---

## 2. HAZARDS IDENTIFICATION

---

**GHS Classification**

Flammable liquids - Category 4

Skin corrosion/irritation - Category 2

Serious eye damage/eye irritation - Category 2A

Long-term (chronic) aquatic hazard - Category 2

**GHS label elements**

**Hazard pictograms**



Signal word: **WARNING!**

**Hazard statements**

Combustible liquid.  
Causes skin irritation.  
Causes serious eye irritation.  
Toxic to aquatic life with long lasting effects.

**Precautionary statements****Prevention**

Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
Wash skin thoroughly after handling.  
Avoid release to the environment.  
Wear protective gloves/ eye protection/ face protection.

**Response**

IF ON SKIN: Wash with plenty of soap and water.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If skin irritation occurs: Get medical advice/ attention.  
If eye irritation persists: Get medical advice/ attention.  
Take off contaminated clothing and wash before reuse.  
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.  
Collect spillage.

**Storage**

Store in a well-ventilated place. Keep cool.

**Disposal**

Dispose of contents and/or container to an approved waste disposal plant.

**Other hazards**

No data available

---

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

---

---

This product is a substance.

**Substance name:** Bis (C13-15 Alkoxy) PG amodimethicone

**CASRN:** 237753-63-8

<b>Component</b>	<b>CASRN</b>	<b>Concentration</b>
Bis (C13-15 Alkoxy) PG amodimethicone	237753-63-8	>= 80.0 - <= 84.0 %
C14-15 Alcohols	75782-87-5	>= 15.0 - <= 17.0 %

Isotridecan-1-ol

27458-92-0

≥ 0.3 - ≤ 0.8 %

---

## 4. FIRST AID MEASURES

---

### Description of first aid measures

#### General advice:

First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

**Inhalation:** Move person to fresh air and keep comfortable for breathing; consult a physician.

**Skin contact:** Wash off with plenty of water. Suitable emergency safety shower facility should be available in work area.

**Eye contact:** Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If effects occur, consult a physician, preferably an ophthalmologist. Suitable emergency eye wash facility should be available in work area.

**Ingestion:** Rinse mouth with water. No emergency medical treatment necessary.

#### Most important symptoms and effects, both acute and delayed:

Causes skin irritation. Causes serious eye irritation.

#### Indication of any immediate medical attention and special treatment needed

**Notes to physician:** No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

---

## 5. FIREFIGHTING MEASURES

---

### Extinguishing media

**Suitable extinguishing media:** Alcohol-resistant foam. Dry chemical. Dry sand.

**Unsuitable extinguishing media:** High volume water jet. Do not use direct water stream..

### Special hazards arising from the substance or mixture

**Hazardous combustion products:** Silicon oxides. Nitrogen oxides (NOx).

**Unusual Fire and Explosion Hazards:** Flash back possible over considerable distance.. Exposure to combustion products may be a hazard to health.. Closed containers may rupture via pressure build-up when exposed to fire or extreme heat.. Vapours may form explosive mixtures with air..

### Advice for firefighters

**Fire Fighting Procedures:** Use water spray to cool unopened containers.. Evacuate area.. Collect contaminated fire extinguishing water separately. This must not be discharged into

drains.. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage.. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed.. Do not use a solid water stream as it may scatter and spread fire..

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Remove undamaged containers from fire area if it is safe to do so.

**Special protective equipment for firefighters:** In the event of fire, wear self-contained breathing apparatus.. Use personal protective equipment..

---

## 6. ACCIDENTAL RELEASE MEASURES

---

**Personal precautions, protective equipment and emergency procedures:** Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.

**Environmental precautions:** Do not release the product to the aquatic environment above defined regulatory levels. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

**Methods and materials for containment and cleaning up:** Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. Clean up remaining materials from spill with suitable absorbant. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. See sections: 7, 8, 11, 12 and 13.

---

## 7. HANDLING AND STORAGE

---

**Precautions for safe handling:** Do not get on skin or clothing. Avoid inhalation of vapour or mist. Do not swallow. Do not get in eyes. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment. Handle in accordance with good industrial hygiene and safety practice. CONTAINERS MAY BE HAZARDOUS WHEN EMPTY. Since emptied containers retain product residue follow all (M)SDS and label warnings even after container is emptied. Use with local exhaust ventilation. See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

**Conditions for safe storage:** Keep in properly labelled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.

Do not store with the following product types: Strong oxidizing agents. Explosives. Gases. Unsuitable materials for containers: None known.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### Control parameters

If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

### Exposure controls

**Engineering controls:** Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

### Individual protection measures

**Eye/face protection:** Use safety glasses (with side shields).

#### Skin protection

**Hand protection:** Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Butyl rubber. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Polyvinyl chloride ("PVC" or "vinyl"). Examples of acceptable glove barrier materials include: Chlorinated polyethylene. Polyvinyl alcohol ("PVA"). Viton. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

**Other protection:** Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions, no respiratory protection should be needed; however, if handling at elevated temperatures without sufficient ventilation, use an approved air-purifying respirator.

The following should be effective types of air-purifying respirators: Organic vapor cartridge.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

### Appearance

<b>Physical state</b>	liquid
<b>Color</b>	Clear to slightly hazy, colourless
<b>Odor</b>	slight
<b>Odor Threshold</b>	No data available
<b>pH</b>	No data available
<b>Melting point/range</b>	No data available
<b>Freezing point</b>	No data available

<b>Boiling point (760 mmHg)</b>	> 50 °C
<b>Flash point</b>	<b>Pensky-Martens closed cup</b> 92.3 °C
<b>Evaporation Rate (Butyl Acetate = 1)</b>	No data available
<b>Flammability (solid, gas)</b>	Not applicable
<b>Flammability (liquids)</b>	Not applicable
<b>Lower explosion limit</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Vapor Pressure</b>	No data available
<b>Relative Vapor Density (air = 1)</b>	No data available
<b>Relative Density (water = 1)</b>	0.96
<b>Water solubility</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Auto-ignition temperature</b>	No data available
<b>Decomposition temperature</b>	No data available
<b>Kinematic Viscosity</b>	4000 cSt at 25 °C
<b>Explosive properties</b>	Not explosive
<b>Oxidizing properties</b>	The substance or mixture is not classified as oxidizing.
<b>Molecular weight</b>	No data available
<b>Particle size</b>	Not applicable

NOTE: The physical data presented above are typical values and should not be construed as a specification.

---

## 10. STABILITY AND REACTIVITY

---

**Reactivity:** Not classified as a reactivity hazard.

**Chemical stability:** Stable under normal conditions.

**Possibility of hazardous reactions:** Can react with strong oxidizing agents. When heated to temperatures above 150 °C (300 °F) in the presence of air, product can form formaldehyde vapours. Safe handling conditions may be maintained by keeping vapour concentrations within the occupational exposure limit for formaldehyde. Vapours may form explosive mixture with air. Combustible liquid.

**Conditions to avoid:** Heat, flames and sparks.

**Incompatible materials:** Avoid contact with oxidizing materials.

**Hazardous decomposition products**

No hazardous decomposition products are known.

---

## 11. TOXICOLOGICAL INFORMATION

---

*Toxicological information appears in this section when such data are available.*

**Information on likely routes of exposure**

Inhalation, Eye contact, Skin contact, Ingestion.

**Acute toxicity (represents short term exposures with immediate effects - no chronic/delayed effects known unless otherwise noted)**

**Acute Toxicity Endpoints:**

Not classified based on available information.

**Acute oral toxicity**

**Information for the Product:**

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

As product: Single dose oral LD50 has not been determined.

Based on information for component(s):  
LD50, > 5,000 mg/kg Estimated.

**Information for components:**

**Bis (C13-15 Alkoxy) PG amodimethicone**

Typical for this family of materials. LD50, > 5,000 mg/kg Estimated.

**C14-15 Alcohols**

LD50, Rat, male and female, > 5,000 mg/kg OECD 401 or equivalent No deaths occurred at this concentration.

**Isotridecan-1-ol**

LD50, Rat, > 2,000 mg/kg No deaths occurred at this concentration.

**Acute dermal toxicity**

**Information for the Product:**

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product: The dermal LD50 has not been determined.

Based on information for component(s):  
LD50, > 5,000 mg/kg Estimated.

**Information for components:**

**Bis (C13-15 Alkoxy) PG amodimethicone**

Typical for this family of materials. LD50, > 5,000 mg/kg Estimated.

**C14-15 Alcohols**

LD50, Rabbit, male and female, 6,180 mg/kg OECD 402 or equivalent

**Isotridecan-1-ol**

LC50, Rabbit, 5,940 mg/kg Estimated.

#### Acute inhalation toxicity

##### Information for the Product:

Product test data not available.

##### Information for components:

##### Bis (C13-15 Alkoxy) PG amodimethicone

The LC50 has not been determined.

##### C14-15 Alcohols

The LC50 has not been determined.

##### Isotridecan-1-ol

No deaths occurred following exposure to a saturated atmosphere. LC0, Rat, 8 Hour, Vapour, > 0.3 mg/l

#### Skin corrosion/irritation

Causes skin irritation.

##### Information for the Product:

Based on information for component(s):  
Brief contact may cause skin irritation with local redness.

##### Information for components:

##### Bis (C13-15 Alkoxy) PG amodimethicone

Brief contact may cause skin irritation with local redness.

##### C14-15 Alcohols

For similar material(s):  
Brief contact may cause slight skin irritation with local redness.

##### Isotridecan-1-ol

Brief contact may cause slight skin irritation with local redness.  
Prolonged contact may cause moderate skin irritation with local redness.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

##### Information for the Product:

Based on information for component(s):  
May cause eye irritation.

##### Information for components:

##### Bis (C13-15 Alkoxy) PG amodimethicone



May cause eye irritation.

**C14-15 Alcohols**

For similar material(s):  
May cause slight eye irritation.  
Corneal injury is unlikely.

**Isotridecan-1-ol**

Essentially nonirritating to eyes.

**Sensitization**

**For skin sensitization:**

Not classified based on available information.

**For respiratory sensitization:**

Not classified based on available information.

**Information for the Product:**

For skin sensitization:

Contains component(s) which did not cause allergic skin sensitization in guinea pigs.

For respiratory sensitization:

No specific, relevant data available for assessment.

**Information for components:**

**Bis (C13-15 Alkoxy) PG amodimethicone**

Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization:

No relevant data found.

**C14-15 Alcohols**

For skin sensitization:

Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization:

No relevant data found.

**Isotridecan-1-ol**

For similar material(s):

Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization:

No relevant data found.

**Specific Target Organ Systemic Toxicity (Single Exposure)**

Not classified based on available information.

**Information for the Product:**

Product test data not available.

**Information for components:**

**Bis (C13-15 Alkoxy) PG amodimethicone**

Available data are inadequate to determine single exposure specific target organ toxicity.

**C14-15 Alcohols**

Available data are inadequate to determine single exposure specific target organ toxicity.

**Isotridecan-1-ol**

Available data are inadequate to determine single exposure specific target organ toxicity.

**Aspiration Hazard**

Not classified based on available information.

**Information for the Product:**

Based on physical properties, not likely to be an aspiration hazard.

**Information for components:**

**Bis (C13-15 Alkoxy) PG amodimethicone**

Based on available information, aspiration hazard could not be determined.

**C14-15 Alcohols**

Based on available information, aspiration hazard could not be determined.

**Isotridecan-1-ol**

Based on physical properties, not likely to be an aspiration hazard.

**Chronic toxicity (represents longer term exposures with repeated dose resulting in chronic/delayed effects - no immediate effects known unless otherwise noted)**

**Specific Target Organ Systemic Toxicity (Repeated Exposure)**

Not classified based on available information.

**Information for the Product:**

Product test data not available.

**Information for components:**

**Bis (C13-15 Alkoxy) PG amodimethicone**

Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

**C14-15 Alcohols**

For similar material(s):

Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

### Carcinogenicity

Not classified based on available information.

#### Information for the Product:

Product test data not available.

#### Information for components:

##### Bis (C13-15 Alkoxy) PG amodimethicone

No relevant data found.

##### C14-15 Alcohols

No relevant data found.

##### Isotridecan-1-ol

No relevant data found.

### Teratogenicity

Not classified based on available information.

#### Information for the Product:

Product test data not available.

#### Information for components:

##### Bis (C13-15 Alkoxy) PG amodimethicone

No relevant data found.

##### C14-15 Alcohols

For similar material(s): Did not cause birth defects in laboratory animals.

##### Isotridecan-1-ol

Has caused birth defects in laboratory animals only at doses toxic to the mother.

### Reproductive toxicity

Not classified based on available information.

#### Information for the Product:

Product test data not available.

#### Information for components:

##### Bis (C13-15 Alkoxy) PG amodimethicone

No relevant data found.

##### C14-15 Alcohols

For similar material(s): In animal studies, did not interfere with reproduction.

##### Isotridecan-1-ol

No relevant data found.

### Mutagenicity

Not classified based on available information.

#### Information for the Product:

Product test data not available.

#### Information for components:

##### **Bis (C13-15 Alkoxy) PG amodimethicone**

In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

##### **C14-15 Alcohols**

For similar material(s): In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

---

## 12. ECOLOGICAL INFORMATION

---

*Ecotoxicological information appears in this section when such data are available.*

### Ecotoxicity

#### **Bis (C13-15 Alkoxy) PG amodimethicone**

##### **Acute toxicity to fish**

Material is slightly toxic to aquatic organisms on an acute basis (LC50/EC50 between 10 and 100 mg/L in the most sensitive species tested).

LC50, Oncorhynchus mykiss (rainbow trout), 96 Hour, > 10 - 100 mg/l, OPPTS 850.1075

#### **C14-15 Alcohols**

##### **Acute toxicity to fish**

Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

LC50, Oncorhynchus mykiss (rainbow trout), 96 Hour, > 500 mg/l

##### **Acute toxicity to aquatic invertebrates**

No toxicity at the limit of solubility

EL50, Daphnia magna (Water flea), 48 Hour, 0.13 - 0.29 mg/l, Estimated by Structure-Activity Relationship (SAR).

##### **Acute toxicity to algae/aquatic plants**

No toxicity at the limit of solubility

ErC50, Pseudokirchneriella subcapitata (green algae), 72 Hour, Growth rate, 22 - 46 mg/l, OECD Test Guideline 201

No toxicity at the limit of solubility

NOEC, Pseudokirchneriella subcapitata (green algae), 72 Hour, Growth rate, 4.6 mg/l, OECD Test Guideline 201

##### **Chronic toxicity to aquatic invertebrates**

For similar material(s):

NOEC, Daphnia magna (Water flea), semi-static test, 21 d, number of offspring, 0.0016 mg/l

**Isotridecan-1-ol**

**Acute toxicity to fish**

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

LC50, Zebra fish (Danio/Brachydanio rerio), 96 Hour, 0.55 mg/l, OECD Test Guideline 203

**Acute toxicity to aquatic invertebrates**

EC50, Daphnia magna (Water flea), 48 Hour, 0.27 mg/l, OECD Test Guideline 202

**Acute toxicity to algae/aquatic plants**

EC50, Algae (Scenedesmus subspicatus), 72 Hour, 1.8 mg/l, Method Not Specified.

ErC50, Desmodosmus subspicatus (green algae), 72 Hour, Growth rate, 0.297 mg/l, OECD Test Guideline 201

**Toxicity to bacteria**

EC50, 30 min, > 1,000 mg/l

**Chronic toxicity to aquatic invertebrates**

Based on data from similar materials

EC10, Daphnia magna (Water flea), 21 d, 0.006 mg/l

**Persistence and degradability**

**Bis (C13-15 Alkoxy) PG amodimethicone**

**Biodegradability:** No relevant data found.

**C14-15 Alcohols**

**Biodegradability:** Material is expected to be readily biodegradable.

10-day Window: Pass

**Biodegradation:** 82 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301F

**Isotridecan-1-ol**

**Biodegradability:** Material is expected to be readily biodegradable.

10-day Window: Pass

**Biodegradation:** 90 - 100 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301F or Equivalent

**Bioaccumulative potential**

**Bis (C13-15 Alkoxy) PG amodimethicone**

**Bioaccumulation:** No relevant data found.

**C14-15 Alcohols**

**Bioaccumulation:** For similar material(s): Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

**Partition coefficient: n-octanol/water(log Pow):** 6.2

**Isotridecan-1-ol**

**Bioaccumulation:** Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).

**Partition coefficient: n-octanol/water(log Pow):** 5.19 Calculated.

**Bioconcentration factor (BCF):** < 100 Oncorhynchus mykiss (rainbow trout) OECD Test Guideline 305

### **Mobility in Soil**

#### **Bis (C13-15 Alkoxy) PG amodimethicone**

No relevant data found.

#### **C14-15 Alcohols**

No relevant data found.

#### **Isotridecan-1-ol**

No relevant data found.

### **Results of PBT and vPvB assessment**

#### **Bis (C13-15 Alkoxy) PG amodimethicone**

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

#### **C14-15 Alcohols**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

#### **Isotridecan-1-ol**

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

### **Other adverse effects**

#### **Bis (C13-15 Alkoxy) PG amodimethicone**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

#### **C14-15 Alcohols**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

#### **Isotridecan-1-ol**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

---

## **13. DISPOSAL CONSIDERATIONS**

---

**Disposal methods:** DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION: Composition Information. FOR

UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer. Incinerator or other thermal destruction device.

---

## 14. TRANSPORT INFORMATION

---

**Classification for ROAD and Rail transport:**

<b>Proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Alcohols, C14-15, Isotridecan-1-ol)
<b>UN number</b>	UN 3082
<b>Class</b>	9
<b>Packing group</b>	III
<b>Environmental hazards</b>	Alcohols, C14-15, Isotridecan-1-ol

**Classification for SEA transport (IMO-IMDG):**

<b>Proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Alcohols, C14-15, Isotridecan-1-ol)
<b>UN number</b>	UN 3082
<b>Class</b>	9
<b>Packing group</b>	III
<b>Marine pollutant</b>	Alcohols, C14-15, Isotridecan-1-ol
<b>Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code</b>	Consult IMO regulations before transporting ocean bulk

**Classification for AIR transport (IATA/ICAO):**

<b>Proper shipping name</b>	Environmentally hazardous substance, liquid, n.o.s.(Alcohols, C14-15, Isotridecan-1-ol)
<b>UN number</b>	UN 3082
<b>Class</b>	9
<b>Packing group</b>	III

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

---

## 15. REGULATORY INFORMATION

---

**Emergency Decree on Controlling the Use of Volatile Substances B.E. 2533**

Not applicable

**Hazardous Substance Act B.E. 2535**

Department of Agriculture  
Not applicable

Department of Energy Business  
Not applicable

Department of Livestock  
Not applicable

Department of Industrial Works  
Not applicable

Food and Drug Administration  
Not applicable

Department of Fisheries  
Not applicable

---

---

**16. OTHER INFORMATION**

---

**Revision**

Identification Number: 4023527 / A176 / Issue Date: 23.01.2023 / Version: 15.0

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

**Full text of other abbreviations**

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of



Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

DOW CHEMICAL THAILAND LTD urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

TH